

Category: ECS
Energy
Conservation
Series

Prefix:
KCN

Fixture Series (Name):
Cynergy
(Retrofit Kit)

Universal
Lighting Technologies

GE Lighting North America

ADVANCE

PHILIPS
sense and simplicity

SYLVANIA

alanod

VSS VOSSLOH
SCHWABE



Cynergy (Retrofit Kit) Series high efficiency fluorescent upgrade

GENERAL DESCRIPTION

The Cynergy (CYN) Series has been developed for illumination of interior spaces where superior advanced fluorescent lighting is required together with high fixture efficiency. This series provides an attractive, energy efficient architectural look which has been specifically designed to replace existing parabolic troffer style fixtures. Comfortable, low glare, uniform lighting is attributed to this style of fixture. The retrofit kit (KCN) converts existing inefficient parabolic fixtures into the Cynergy design.

Typical applications for this type of retrofit product are interior spaces where parabolic fixtures exist. Applications Include:

- Commercial / Corporate Office Spaces
- Retail Spaces, Public Spaces and Libraries
- Schools, Colleges and Universities
- Hospitals, Government Facilities and Military Bases



(Existing parabolic troffer retrofitted with Cynergy Kit shown)

DESIGN FEATURES / SPECIFICATIONS

CONSTRUCTION

- Precision die-formed from 22 ga. cold rolled steel.
- Mechanically fastened / resistance welded for superior construction.
- Finish on housing and internal bracketry to be pre-painted gloss white polyester powder coat enamel.
- Finish on all external cosmetic trim to be post-painted "textured" matte white polyester powder coat enamel. Custom colors are available.
- Heavy gauge steel (NYC) is optional.

REFLECTOR

- Precision die-formed optics which has been designed for maximum efficiency and photometric properties using the latest CAD software.
- Choice of optics include focused, normal and spread distribution.
- Choice of reflector materials include:
 - Alanod Miro4 Enhanced Specular Aluminum, 95% total reflectance, 25 year warranty.
 - Enhanced Specular Aluminum, 92% total (min.) reflectance, 25 year warranty.
 - High Reflectance White Powder Coated Alum., 91% total reflectance, 10 year warranty.
 - Consult factory for availability of all other material choices.

LAMP HOLDERS

- Vossloh-Schwabe premium type featuring:
 - Anti-vibration internal lamp locking design
 - High temperature resistant "T" marking.
 - Heat and UV blocking shield to prevent degradation of material
 - Multi-point contact design for optimum lamp pin contact.
 - Produced in accordance with DIN ISO 9001 and IEC standards.

BALLASTS

- All standard ballasts are electronic, energy saving, thermally protected, Class-P, non PCB, Sound Rated "A", 0 degree (Type 1 Outdoor). Consult with factory for the latest information regarding power shedding, step / dimming, sunlight harvesting and other energy saving options. Ballasts may be supplied by "others".
- UL/CSA certified, where applicable. Compliant with Federal Ballast Law (Public Law 100-357, 1988).
- Choice of ballast factors: L=Low, N=Normal, H=High.
- Warranted by ballast manufacturer. Typical ballast warranty is for 5 years (120v-277v) and 3-years (347v-480v). Consult factory for latest warranty information.

LAMPS

- Supplied by others unless otherwise specified.
- Factory installed if required - Consult factory.
- Lamp Type, CRI ratings, temperature colors, lamp life ratings are all viable options which can be supplied - Consult factory for information.

LENS (DIFFUSER)

- Custom extruded profile for precision fit.
- Linear prisms designed for both visual appeal and control of lighting distribution.
- Extruded from 100% clear, virgin acrylic with 30% "DR" additive (used to resist breakage).
- Special formula high light transmission frosted acrylic polymer used for glare free shielding and high overall fixture efficiency.
- Consult factory for all available lens / diffuser options.

MOUNTING

- Retrofit kit is designed to be installed into existing parabolic troffers. Please refer to installation instructions. Special kits are available for certain applications. Please consult factory.

ELECTRICAL

- Retrofit kits are UL/CUL classified - Type II Retrofit.
- Product includes luminaire disconnect as specified in NEC 410.73(G), 2005 Edition, and CEC part 1, rule 30-308(4), 2006 Edition.

QUALITY CONTROL

- All retrofit kits are designed, fabricated, assembled, tested, packaged and shipped from RENOVA's manufacturing facility.

GUARANTEE

- RENOVA warrants all retrofit kit components to be free of defects in manufacturing and workmanship for a period of (1) year from date of purchase. Please refer to the "Terms and Conditions" section of the RENOVA website for additional information.

Note: RENOVA products are constantly being improved; therefore, the information shown is subject to change without notice. Always consult your lighting representative or RENOVA Lighting Systems, Inc. for the latest information.

RENOVA Lighting Systems, Inc. • 15 Wellstown Road - Ashaway, RI 02804 • 800-635-6682 • www.renova.com


Category: ECS
Energy Conservation Series

Prefix:
KCN

Fixture Series (Name):
Cynergy
(Retrofit Kit)



2-Lamp T8 2x2 / 2x4 Cynergy Cross Section Shown (Retrofit Kit)



ORDERING GUIDE

CATEGORY	SERIES	SIZE	REFLECTOR MATERIAL	REFLECTOR PHOTOMETRY	NUMBER OF LAMPS	LAMP TYPE (WATTAGE)	BALLAST VOLTAGE	NUMBER OF BALLASTS	LAMPS PER BALLAST	BALLAST FACTOR	OPTIONS
ECS	KCN	4	M	N	2	32	UNV	1	2	N	FRL
ENERGY CONSERVATION SERIES	KCN - RETROFIT KIT CYNERGY SERIES	0 - 1x2 1 - 1x4 2 - 2x2 4 - 2x4	M - MIRO4 (95% TR) W - WHITE (91% TR)	F - FOCUSED N - NORMAL S - SPREAD	1 - 1L 2 - 2L	32 - 32w T8 30 - 30w T8 28 - 28w T8 14 - 14w T5 28 - 28w T8 24 - 24w T5HO 54 - 54w T5HO	120 - 120v, 60 Hz 277 - 277v, 60 Hz UNV - 120v - 277v, 60 Hz	(BLANK) - 1 2 - 2	1 - 1 2 - 2	L - LOW N - NORMAL H - HIGH S - LOAD SHED	FRL - FROSTED LINEAR PRISM ACRYLIC LENS (STANDARD) * ADDITIONAL OPTIONS (SEE "OPTIONS" SHEET FOR ALL AVAILABLE OPTIONS)



PHOTOMETRIC DATA, IES FILES AND ALL OTHER INFORMATION IS AVAILABLE UPON REQUEST.



VOSSLOH LOCKING LAMP HOLDERS (STANDARD)



HIGH LIGHT TRANSMISSION FROSTED LENS (STANDARD)



MULTI-FACETED REFLECTOR (DESIGNED FOR MAXIMUM EFFICIENCY)



PRECISION FABRICATED FRAME ASSEMBLY (AIR RETURN SLOTS ARE OPTIONAL) (CUSTOM COLORS ARE OPTIONAL)

Note: RENOVA products are constantly being improved; therefore, the information shown is subject to change without notice. Always consult your lighting representative or RENOVA Lighting Systems, Inc. for the latest information.

RENOVA Lighting Systems, Inc. • 15 Wellstown Road - Ashaway, RI 02804 • 800-635-6682 • www.renova.com

Category: ECS
Energy
Conservation
Series

Prefix:
KCN

Fixture Series (Name):
Cynergy
(Retrofit Kit)

Universal
Lighting Technologies

GE Lighting North America

ADVANCE

PHILIPS
sense and simplicity


SYLVANIA

alano

VS VOSSLOH
SCHWABE



2x2 Cynergy Series Retrofit Kit (KCN) Shown



Note: RENOVA products are constantly being improved; therefore, the information shown is subject to change without notice. Always consult your lighting representative or RENOVA Lighting Systems, Inc. for the latest information.

RENOVA Lighting Systems, Inc. • 15 Wellstown Road - Ashaway, RI 02804 • 800-635-6682 • www.renova.com