


AllSew Reclaimed



Pendants

50 Greene St
New York NY 10013
T +1 212 388 1621
sales@rbw.com



For 2D & 3D drawings of all products, including CAD, Revit and IES files, please visit rbw.com

Generate Date: Tue Dec 21 2021

DESCRIPTION

Allsew, our modular, scalable pendant inspired by the luminosity of lanterns, and the lightweight, collapsible efficiency of kites.

MATERIALS

Reclaimed sailcloth, fiberglass, aluminum

PERFORMANCE

36" Shade: 3660 lm; 48" Shade: 3731 Lumens

Power Consumption 39W

Luminaire Watts 39W

96 lm/w

90 CRI

LED LIFESPAN

50k hours

PATENT FILE NUMBER

Patent Number D908,932

CERTIFICATION

UL Listed

Suitable for Damp Locations

**SUSPENSION**

White 5" square deep canopy

Standard 72" white cord or 28" white stem. Standard Hang Height 66" for cord or 28" for stem. Minimum Hang Height 6" for cord or 14" for stem

Cord extension available (up to 150"), stem extension available. Cord is field trimmable, stem is not field trimmable.

PRODUCT DIMENSIONS

36" Shade: 36 x 36 x 30 in; 48" Shade: 48 x 48 x 30 in

DIMENSIONAL WEIGHT

15 lbs

YOUR PRODUCT CODE

ALP-R- [] - [] - [] - [] - [] - [] - []

Specification Logic

SIZE

36"	36
48"	48

FRAME CONNECTOR FINISH

Matte White	PC20
-------------	------

MOUNTING

Cord	CO
Stem	ST

COLOR TEMPERATURE

2700K (warm white)	27
3000K (soft white)	30
3500K (neutral white)	35

INPUT / CONTROL / POWER

110-120V Input TRIAC / ELV / 0-10V, 1% dimming

120_TM_DIN

220-240V Input 0-10V, 1% dimming

220_10_DIN


110-277V Input 0-10V, 0.1% dimming

277_10_DEX


110-277V Input DALI, 0.1% dimming

277_DL_DEX



Drawings





ALP-36-ST AllSew Pendant 36" Stem Dimension



ALP-36-CO AllSew Pendant 36" Cord Dimension



ALP-48-ST AllSew Pendant 48" Stem Dimension



ALP-48-CO AllSew Pendant 48" Cord Dimension