



Hoist Sconce

Sconces



50 Greene St
New York NY 10013
T +1 212 388 1621
sales@rbw.com



For 2D & 3D drawings of all products, including CAD, Revit and IES files, please visit rbw.com

Generate Date: Mon Jan 03 2022

DESCRIPTION

Waterproof, minimalist, and available in a colorful variety of finishes, Hoist goes just about anywhere: indoors or outdoors, as a wall-mount or a pendant. With a range of sizes for its circular shade, make a statement large or small.

MATERIALS

Opal blown glass, spun steel.

PERFORMANCE

590 luminaire lumens

Power Consumption 9W

Luminaire Watts 9W

70lm/W

90 CRI

LED LIFESPAN

50K hours

PATENT FILE NUMBER

Patent Number D861,955

CERTIFICATION

ADA Compliant

UL Listed

Suitable for Wet Locations

IP65

**PRODUCT DIMENSIONS**

Small Shade 8" dia x 4" depth | Medium Shade 14" dia x 4" depth | Large Shade 21" dia x 4" depth. Please note the Large Glass has a 6" depth.

PRODUCT WEIGHT

2.5 lbs / 1.14 kg

DIMENSIONAL WEIGHT

Bare 3 lbs | Small 6 lbs | Medium 8 lbs | Large 14 lbs

YOUR PRODUCT CODE

HS- [] - [] - [] - [] - [] - [] - [] - []

Specification Logic

SHADE

Bare Shade	0
Small Shade	8
Medium Shade	14
Large Shade	21

GLOBE

Small Glass Diffuser	A
Large Glass Diffuser	B

SHADE FINISH

Cream White	PC24
Matte Black Fine Texture	PC30
Blue Gloss	PC36
Vermilion Red	PC42
Custom Powder Coat	PCXX

COLOR TEMPERATURE

2700K (warm white)	27
3000K (soft white)	30
3500K (neutral white)	35


INPUT / CONTROL / POWER

110-120V Input TRIAC / ELV / 0-10, 1% dimming	120_TM_DEX
110-120V input TRIAC Control 10% dimming	120_TR_LINE
220-240V Input 0-10V, 1% dimming	220_10_DEX
220-240V Input ELV Reverse Phase, 1% dimming	220_ELV_DEX
220-240V Input TRIAC / Forward Phase, 1% dimming	220_TR_DEX
110-277V Input 0-10V, 0.1% dimming	277_10_DEX
110-277V Input DALI, 0.1% dimming	277_DL_DEX


IP RATING

IP65 RATED	IP65
------------	------



Drawings





HS-21-A Hoist Sconce Small Diffuser Dimension




HS-21-B Hoist Sconce Large Diffuser Dimension




HS-14-A Hoist Sconce Small Diffuser Dimension




HS-14-B Hoist Sconce Large Diffuser Dimension



HS-8-A Hoist Sconce Small Diffuser Dimension



HS-0-A Hoist Sconce Bare Small Diffuser Dimension



HS-0-B Hoist Sconce Bare Large Diffuser Dimension