


Gala 72"

Chandeliers



50 Greene St
New York NY 10013
T +1 212 388 1621
sales@rbw.com



For 2D & 3D drawings of all products, including CAD, Revit and IES files, please visit rbw.com

DESCRIPTION

Gala is a minimal, near-weightless take on the chandelier, rethought as a simple beam with power cords hidden inside the slim suspension cables. Its ivory-frosted glass fixtures, fixed in a variety of compositions, bring to mind hanging fruit. Voluptuous and handblown, each orb is subtly unique.

MATERIALS

Frosted glass globes, aluminum

PERFORMANCE

Estimate 1290 lm

Power Consumption 25W

Luminaire Watts 25W

90 CRI

LED LIFESPAN

50k hours

CERTIFICATION

UL Listed

Suitable for Damp Locations

**SUSPENSION**

Black or white 15" round flat canopy

Standard 120" cable. Recommended Hang Height 114". Minimum Hang Height 12"

Cable extension available (up to 200"). Field trimmable

PRODUCT DIMENSIONS

72 L x 6 W x 17" H

PRODUCT WEIGHT

26 lbs / 11.8 kg

DIMENSIONAL WEIGHT

106 lbs

YOUR PRODUCT CODE

GC-72- [] - [] - [] - [] - [] - [] - []

Specification Logic

DIFFUSER STYLE

Symmetrical Mixed Globes	10G
Asymmetrical Mixed Globes	20G
Symmetrical Large Globes	30G

PRIMARY FINISH

Matte Black	PC30
Custom Powder Coat	PCXX

COLOR TEMPERATURE

2200K (candle Light)	22
2700K (warm white)	27
3000K (soft white)	30
3500K (neutral white)	35

INPUT / CONTROL / POWER

110-120V Input TRIAC / ELV / 0-10V, 1% dimming	120_TM_DIN
220-240V Input 0-10V, 1% Dimming	220_10_DIN
110-277V Input 0-10V, 0.1% dimming	277_10_DIN
110-277V Input DALI, 0.1% dimming	277_DL_DIN

CANOPY COLOR


Black

CPYB


White

CPYW


Drawings



GC-72-20G Gala 72" Chandelier Dimension



GC-72-10G Gala 72" Chandelier Dimension



GC-72-30G Gala 72" Chandelier Dimension